









image change detection techniques. *Remote Sensing of Environment*, 160, 1-14.

Verbesselt, J., Hyndman, R., Newnham, G., Culvenor, D., 2010. Detecting trend and seasonal changes in satellite image time series. *Remote Sensing of Environment*, 114, 106-115.

Waldner, F., Canto, G.S., Defourny, P., 2015. Automated annual cropland mapping using knowledge-based temporal features. *ISPRS Journal of Photogrammetry and Remote Sensing*, 110, 1-13.

Wu, W.B., Yang, P., Tang, H.J., Zhou, Q.B., Chen, Z.X., Ryosuke, S., 2010. Characterizing Spatial Patterns of Phenology in Cropland of China Based on Remotely Sensed Data. *Agricultural Sciences in China*, 9(1), 101-112.

Wulder, M.A., White, J. C., Goward, S. N., Masek, J. G., Irons, J. R., Herold, M., et al. (2008). Landsat continuity: Issues and opportunities for land cover monitoring. *Remote Sensing of Environment*, 112(3), 955–969.

Xiao, X.M., Boles, S., Froking, S., Li, C.S., Babu, J.Y., Salas, W., Moore, B., 2006. Mapping paddy rice agriculture in South and Southeast Asia using multitemporal MODIS images. *Remote Sens. Environ.* 100, 95–113.

Zha, Y., Gao, J., Ni, S., 2003. Use of normalized difference built-up index in automatically mapping urban areas from TM imagery. *Int. J. Remote Sens.* 24, 583–594.

Zhu, Z., Woodcock, C.E., Olofsson, P., 2012. Continuous monitoring of forest disturbance using all available Landsat imagery. *Remote Sensing of Environment*, 122, 75-91.

Zhu, Z., Woodcock, C.E., 2014. Continuous change detection and classification of land cover using all available Landsat data. *Remote Sensing of Environment*, 144, 152-171.